













HEATRAE SADIA

SMARTER | CLEANER | WARMER










2015 PRODUCT RANGE GUIDE



MEGAFLO Commercial	MEGAFLO Eco	MEGAFLO solar packages	MEGALIFE SS	MEGALIFE HE	ELECTROMAX																																																																						
																																																																											
<p>Large capacity hot water cylinders</p> <p>MEGAFLO Commercial calorifiers add a further 30 models to our already extensive range. With a choice of sizes, ranging up to a mega 2500 litres.</p> <p>Choice of indirect, direct, or solar.</p> <p>6 bar and 10 bar operational pressure options.</p> <p>Protection against Legionella by meeting the recommendations of HSE document L8.</p>	<p>Unvented hot water cylinders</p> <p>MEGAFLO Eco offers a number of features that place it well ahead of the competition on performance, quality and reliability. Whether it is for the home, workplace or demanding applications such as sports and health club shower rooms, there's a model to suit your needs.</p> <p>Choice of indirect, direct, Eco SystemFit or Eco Solar.</p> <p>Patented floating baffle to accommodate water expansion.</p> <p>Duplex stainless steel cylinder for maximum strength.</p>	<p>Solar thermal panels and evacuated tubes</p> <p>MEGAFLO solar thermal systems provide a real alternative to traditional hot water systems with all the benefits of a reduced fuel bill and improved carbon footprint. A choice of in-roof, on-roof, A-frame and evacuated tubes have been designed for use with MEGAFLO Eco Solar cylinders.</p> <p>Portrait or landscape options available for both slate and tile roof options.</p> <p>MCS certified and solar key marked.</p> <p>Lightweight with fast fit roof brackets.</p>	<p>Horizontal and vertical unvented hot water cylinders</p> <p>This sleek, stylish design of the Megalife SS range of unvented water heaters are created using the most advanced water heating technology available. They are supplied with a comprehensive range of safety features ensuring the best possible performance, quality and reliability.</p> <p>Available in both horizontal and vertical models.</p> <p>High performance one-piece moulded insulation.</p> <p>Factory-fitted temperature and pressure relief valve.</p>	<p>Cistern-fed hot water</p> <p>Megalife HE includes our fast recovery 'coil-in-coil' heat exchanger. The inner container is manufactured from Duplex stainless steel and its immersion heater is tin-plated Superloy making it ideal for use in aggressive water areas.</p> <p>Choice of indirect, direct, or solar.</p> <p>Modern replacement for Cirrus and UDB cylinders.</p> <p>40 metre (4 bar) maximum working head.</p>	<p>Combined electric boiler and hot water store</p> <p>Our Electromax boiler provides electric wet central heating and domestic hot water with the same comfort and controllability as a gas boiler.</p> <p>Choice of underfloor, radiator or solar models.</p> <p>Designed for sealed systems.</p> <p>Silent in operation.</p>																																																																						
<table><tr><th>Capacity (litres)</th><th>Max. rating (kW)</th></tr><tr><td>400</td><td>48</td></tr><tr><td>500</td><td>48</td></tr><tr><td>800</td><td>135</td></tr><tr><td>1000</td><td>135</td></tr><tr><td>1250</td><td>162</td></tr><tr><td>1450</td><td>162</td></tr><tr><td>2000</td><td>162</td></tr><tr><td>2500</td><td>162</td></tr></table>	Capacity (litres)	Max. rating (kW)	400	48	500	48	800	135	1000	135	1250	162	1450	162	2000	162	2500	162	<table><tr><th>Capacity (litres)</th><th>Rating (kW)</th></tr><tr><td>70</td><td>1 x 3</td></tr><tr><td>125</td><td>up to 2 x 3</td></tr><tr><td>145</td><td>up to 2 x 3</td></tr><tr><td>170</td><td>up to 2 x 3</td></tr><tr><td>210</td><td>up to 4 x 3</td></tr><tr><td>250</td><td>up to 4 x 3</td></tr><tr><td>300</td><td>up to 4 x 3</td></tr></table>	Capacity (litres)	Rating (kW)	70	1 x 3	125	up to 2 x 3	145	up to 2 x 3	170	up to 2 x 3	210	up to 4 x 3	250	up to 4 x 3	300	up to 4 x 3	<table><tr><th>Model</th><th>Empty weight (kg)</th></tr><tr><td>1 panel</td><td>34.3</td></tr><tr><td>2 panel</td><td>68.6</td></tr><tr><td>3 panel</td><td>102.9</td></tr><tr><td>20 tubes</td><td>55</td></tr><tr><td>30 tubes</td><td>81</td></tr></table>	Model	Empty weight (kg)	1 panel	34.3	2 panel	68.6	3 panel	102.9	20 tubes	55	30 tubes	81	<table><tr><th>Capacity (litres)</th><th>Rating (kW)</th></tr><tr><td>50</td><td>1.5 or 3</td></tr><tr><td>80</td><td>1.5 or 3</td></tr><tr><td>100</td><td>1.5 or 3</td></tr></table>	Capacity (litres)	Rating (kW)	50	1.5 or 3	80	1.5 or 3	100	1.5 or 3	<table><tr><th>Capacity (litres)</th><th>Rating (kW)</th></tr><tr><td>100</td><td>1 x 3</td></tr><tr><td>120</td><td>2 x 3</td></tr><tr><td>150</td><td>2 x 3</td></tr><tr><td>170</td><td>2 x 3</td></tr><tr><td>210</td><td>2 x 3</td></tr></table>	Capacity (litres)	Rating (kW)	100	1 x 3	120	2 x 3	150	2 x 3	170	2 x 3	210	2 x 3	<table><tr><th>Capacity (litres)</th><th>Rating (kW)</th></tr><tr><td>180</td><td>6 or 9</td></tr></table>	Capacity (litres)	Rating (kW)	180	6 or 9
Capacity (litres)	Max. rating (kW)																																																																										
400	48																																																																										
500	48																																																																										
800	135																																																																										
1000	135																																																																										
1250	162																																																																										
1450	162																																																																										
2000	162																																																																										
2500	162																																																																										
Capacity (litres)	Rating (kW)																																																																										
70	1 x 3																																																																										
125	up to 2 x 3																																																																										
145	up to 2 x 3																																																																										
170	up to 2 x 3																																																																										
210	up to 4 x 3																																																																										
250	up to 4 x 3																																																																										
300	up to 4 x 3																																																																										
Model	Empty weight (kg)																																																																										
1 panel	34.3																																																																										
2 panel	68.6																																																																										
3 panel	102.9																																																																										
20 tubes	55																																																																										
30 tubes	81																																																																										
Capacity (litres)	Rating (kW)																																																																										
50	1.5 or 3																																																																										
80	1.5 or 3																																																																										
100	1.5 or 3																																																																										
Capacity (litres)	Rating (kW)																																																																										
100	1 x 3																																																																										
120	2 x 3																																																																										
150	2 x 3																																																																										
170	2 x 3																																																																										
210	2 x 3																																																																										
Capacity (litres)	Rating (kW)																																																																										
180	6 or 9																																																																										
																																																																											

HEATRAE SADIA

COMMERCIAL WATER HEATING


AMPTEC	MULTIPOINT INSTANTANEOUS	EXPRESS	STREAMLINE	HOTFLO	MULTIPOINT	HANDY																																																										
		 	 																																																													
<p>Electric flow boiler</p> <p>Amptec electric flow boilers provide wet central heating and can heat a domestic hot water tank / cylinder with the comfort and controllability of a gas central heating boiler. Suitable for pressurised or open vented systems.</p> <p>Choice of underfloor or radiator models.</p> <p>Light and compact for easy installation.</p> <p>Silent in operation.</p>	<p>Instantaneous water heater</p> <p>Multipoint Instantaneous is a compact instantaneous water heater for supplying hot water to remote locations such as a garage or cloakroom and is perfect for student and holiday accommodation.</p> <p>White moulded vandal-resistant ABS casing.</p> <p>High temperature cut out for safety.</p> <p>Can supply a shower outlet and/or spray tap, provided only one outlet is used at a time.</p>	<p>Vented point of use</p> <p>A robust steel-cased unit, suitable for oversink and undersink use in commercial or industrial situations such as canteens and workshops.</p> <p>Complete with spout and valve.</p> <p>Dry start cut out.</p> <p>Fast heat up time with adjustable thermostat.</p>	<p>Vented point of use</p> <p>An attractive open-outlet point of use product, Streamline is available as a complete undersink or oversink unit. The undersink unit is to be used in conjunction with Heatrae Sadia open vented taps.</p> <p>Choice of 15 vented taps, spouts and mixers.</p> <p>Easy access for maintenance.</p> <p>Adjustable thermostat.</p>	<p>Unvented point of use</p> <p>Hotflo can service up to three basins and has a copper inner container, requiring no anode, to achieve optimum performance in terms of durability and corrosion resistance. Temperature and pressure relief valve or thermostatic blending valves (if required), must be ordered separately.</p> <p>Externally adjustable thermostat from 10°C to 70°C.</p> <p>Element “on” indicator.</p> <p>No anode to inspect or replace.</p>	<p>Unvented point of use</p> <p>Multipoint is the market leading range of small unvented water heaters. This range is quick and easy to install with a choice of element ratings. It is supplied with a factory-fitted temperature and pressure relief valve.</p> <p>Externally adjustable thermostat from 5°C up to 75°C.</p> <p>Element “on” indicator.</p> <p>Multipoint 30 and 50 available in horizontal and vertical models.</p>	<p>Electric instantaneous handwash</p> <p>A instantaneous handwash unit, for a cost effective means of providing hot water for hand washing with a durable 200mm swivel spout.</p> <p>Available as a “no-touch” option or with a single-turn rotary control dial.</p> <p>Power “on” indicator.</p> <p>In-built comprehensive safety protection against the dangers of scolding and excessive pressure build-up within the unit.</p>																																																										
<table><tr><th>Model</th><th>Rating (kW)</th></tr><tr><td>C/U400</td><td>4</td></tr><tr><td>C/U600</td><td>6</td></tr><tr><td>C/U900</td><td>9</td></tr><tr><td>C/U1100</td><td>11</td></tr><tr><td>C/U1200</td><td>12</td></tr></table>	Model	Rating (kW)	C/U400	4	C/U600	6	C/U900	9	C/U1100	11	C/U1200	12	<table><tr><th>Model</th><th>Rating (kW)</th></tr><tr><td>7</td><td>7</td></tr><tr><td>9</td><td>9</td></tr></table>	Model	Rating (kW)	7	7	9	9	<table><tr><th>Capacity (litres)</th><th>Rating (kW)</th></tr><tr><td>7</td><td>1 or 3</td></tr><tr><td>15</td><td>3</td></tr></table>	Capacity (litres)	Rating (kW)	7	1 or 3	15	3	<table><tr><th>Capacity (litres)</th><th>Rating (kW)</th></tr><tr><td>7</td><td>1 or 3</td></tr><tr><td>10</td><td>1 or 3</td></tr></table>	Capacity (litres)	Rating (kW)	7	1 or 3	10	1 or 3	<table><tr><th>Capacity (litres)</th><th>Rating (kW)</th></tr><tr><td>10</td><td>2.2</td></tr><tr><td>15</td><td>2.2</td></tr></table>	Capacity (litres)	Rating (kW)	10	2.2	15	2.2	<table><tr><th>Capacity (litres)</th><th>Rating (kW)</th></tr><tr><td>10</td><td>3 or 4.5</td></tr><tr><td>15</td><td>3 or 4.5</td></tr><tr><td>30</td><td>1 or 3</td></tr><tr><td>50</td><td>1 or 3</td></tr><tr><td>75</td><td>3 or 6</td></tr><tr><td>100</td><td>3 or 6</td></tr></table>	Capacity (litres)	Rating (kW)	10	3 or 4.5	15	3 or 4.5	30	1 or 3	50	1 or 3	75	3 or 6	100	3 or 6	<table><tr><th>Model</th><th>Rating (kW)</th></tr><tr><td>Handy 3</td><td>3.1</td></tr><tr><td>Handy 7</td><td>7.2</td></tr><tr><td>No Touch</td><td>3.1</td></tr></table>	Model	Rating (kW)	Handy 3	3.1	Handy 7	7.2	No Touch	3.1
Model	Rating (kW)																																																															
C/U400	4																																																															
C/U600	6																																																															
C/U900	9																																																															
C/U1100	11																																																															
C/U1200	12																																																															
Model	Rating (kW)																																																															
7	7																																																															
9	9																																																															
Capacity (litres)	Rating (kW)																																																															
7	1 or 3																																																															
15	3																																																															
Capacity (litres)	Rating (kW)																																																															
7	1 or 3																																																															
10	1 or 3																																																															
Capacity (litres)	Rating (kW)																																																															
10	2.2																																																															
15	2.2																																																															
Capacity (litres)	Rating (kW)																																																															
10	3 or 4.5																																																															
15	3 or 4.5																																																															
30	1 or 3																																																															
50	1 or 3																																																															
75	3 or 6																																																															
100	3 or 6																																																															
Model	Rating (kW)																																																															
Handy 3	3.1																																																															
Handy 7	7.2																																																															
No Touch	3.1																																																															
<div>2 YEAR GUARANTEE</div> <div>2</div>	<div>2 YEAR GUARANTEE</div> <div>2</div>	<div>2 YEAR GUARANTEE</div> <div>2</div>	<div>2 YEAR GUARANTEE</div> <div>2</div>	<div>2 YEAR GUARANTEE</div> <div>2</div>	<div>5 YEAR GUARANTEE</div> <div>5</div>	<div>2 YEAR GUARANTEE</div> <div>2</div>																																																										

2 YEAR
GUARANTEE


2

PRODUCT GUIDE SELECTORS


Hot water for multiple outlets (mains)




Hot water for baths and showers




Electric wet central heating




Hot water for multiple outlets (cistern)



Drinking water



Hot water for single outlet sinks and basins



CONTACT

Export Sales

T: +44 (0)1603 420271

F: +44 (0)1603 420199

E: export.sales@heatraesadia.com

www.heatraesadia.com

Heatrae Sadia, Hurricane Way, Norwich,
Norfolk, NR6 6EA, United Kingdom

PRODUCT RANGE

Sales and specification information is available for all of our products. To support our corporate responsibility and sustainability charters, and reduce the amount of printed material that we produce, we encourage you to download product brochures from our website.

In designing these files we have taken into account the need to access data on screen and, if required, limit the amount of ink required to print.

If you would like to receive a printed copy of our full product catalogue please contact our export department.

Heatrae Sadia Heating may introduce modifications to their products from time to time. Consequently, the details given in this brochure are subject to alteration without notice.

DOMESTIC WATER HEATING

Megalife HE	Multipoint Instantaneous
Megalife Solar	Immersion Heaters

DRINKING WATER

Aquatap	SuperChill
Supreme	Supreme Counter Top

ELECTRIC SPACE HEATING

Amptec	Electromax
Electromax Solar	

POINT OF USE WATER HEATING

B3M / C3M	Express
FBM	Handy
Handy Dri / Hair Drier	Hotflo
Multipoint	Megalife SS
Streamline	UTC 99

VENTILATION

Advance	ECO 4
ECO 2	

MEGAFLO

MEGAFLO **Eco** cylinders
MEGAFLO **Commercial** calorifiers
MEGAFLO **Solar** packages
MEGAFLO **SHRU**

Please follow us online:



This product is printed on paper sourced from well managed forests and other controlled sources. This product is printed using vegetable based inks. Please recycle this product when you have finished with it.

PN 95 900 912 Issue 5
BJN 203235
FCN 441269-00
© Heatrae Sadia 2015